The following claims are presented for examination:

1. (Previously Presented) A method comprising:

receiving an email message from a sender:

obtaining a presence status of the sender from a presence server, wherein the presence status indicates a presence status of the sender across plurality of domains:

delivering the email message to a recipient with an indication of a presence of the sender on one or more of the domains; and

wherein the presence server determines the presence status of the sender based on a rule that aggregates at least two items of presence information that are conflicting with each other.

- **2.** (Previously Presented) The method of claim 1, wherein the presence server extracts presence information from a plurality of presence data stores.
- **3.** (Previously Presented) The method of claim 2, wherein the presence server translates the presence information to a standard format.
  - 4. (Canceled)
- **5.** (Previously Presented) The method of claim 1, wherein the recipient responds to the sender in another domain.
- **6.** (Previously Presented) The method of claim 1, wherein the presence information indicates if the message sender can be reached at one or more indicated devices.
- **7.** (Previously Presented) The method of claim 1, wherein the presence information is obtained from a user registration process.
- **8.** (Previously Presented) The method of claim 1, wherein the presence information is obtained by observing activities of a user.
- **9.** (Previously Presented) The method of claim 1, wherein the recipient can respond to the sender in real time.
- **10.** (Previously Presented) The method of claim 1, wherein the recipient can respond to the sender in non-real time.
- **11.** (Previously Presented) The method of claim 1, wherein the recipient can respond to the sender using a non-textual form of communication.

 Serial No. 10/672636
 DeMont & Breyer Docket: 633-040US

 Avaya Docket: 502063-A-01-US (Khakoo)

**12.** (Previously Presented) The method of claim 1, wherein the plurality of domains is a plurality of client domains.

13. (Previously Presented) The method of claim 1, wherein the plurality of domains is a plurality of server domains.

## 14-18. (Canceled)

19. (Previously Presented) An apparatus comprising:

a memory; and

at least one processor, coupled to the memory, operative to:

receive an email message from a sender;

obtain a presence status of the sender from a presence server, wherein the presence status indicates a presence status of the sender across a plurality of domains;

deliver the email message to a recipient with an indication of a presence of the sender on one or more of the plurality of domains; and

wherein the presence server determines the presence status of the sender based on a rule that aggregates at least two items of presence information that are conflicting with each other.

- **20.** (Previously Presented) The apparatus of claim 19, wherein the presence server extracts presence information from a plurality of presence data stores.
- **21.** (Previously Presented) The apparatus of claim 20, wherein the presence server translates the presence information to a standard format.
  - 22. (Canceled)
- **23.** (Previously Presented) The apparatus of claim 19, wherein the recipient responds to the sender in another domain.
- 24. (Previously Presented) The apparatus of claim 19, wherein the presence information indicates if the message sender can be reached at one or more indicated devices
- **25.** (Previously Presented) The apparatus of claim 19, wherein the recipient can respond to the sender using a non-textual form of communication.